

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 September 2004 (30.09.2004)

PCT

(10) International Publication Number
WO 2004/083147 A1

- (51) International Patent Classification⁷: **C04B 35/488**, H01M 8/12
- (21) International Application Number: PCT/JP2004/003774
- (22) International Filing Date: 19 March 2004 (19.03.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
2003-078066 20 March 2003 (20.03.2003) JP
- (71) Applicants (for all designated States except US): NISAN MOTOR CO., LTD. [JP/JP]; 2, Takara-cho, Kanagawa-ku, Yokohama-shi, Kanagawa 2210023 (JP). NATIONAL INSTITUTE OF ADVANCED INDUSTRIAL SCIENCE AND TECHNOLOGY [JP/JP]; 3-1, Kasumigaseki 1-chome, Chiyoda-ku, Tokyo 1008921 (JP).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): HATANO, Masaharu [JP/JP]. YAMANAKA, Mitsugu [JP/JP]. UCHIYAMA, Makoto [JP/JP]. FURUYA, Kenji [JP/JP]. AKIMUNE, Yoshio [JP/JP]. OKAMOTO, Masaya [JP/JP].
- (74) Agents: MIYOSHI, Hidekazu et al.; 9th Floor, Toranomon Daiichi Building, 2-3, Toranomon 1-chome, Minato-ku, Tokyo 1050001 (JP).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD OF PRODUCING SOLID ELECTROLYTE AND SOLID ELECTROLYTE

(57) Abstract: A method of producing a solid electrolyte (3, 13) is disclosed wherein solid electrolyte material is prepared having a composition expressed by a formula: $(1-x) \text{ZrO}_2 \cdot x \text{Sc}_2\text{O}_3$ (where x is a number equal to or greater than 0.05 and equal to or less than 0.15), and a spark plasma method is carried out to sinter solid electrolyte material, resulting in a solid electrolyte. Such spark plasma method is executed by applying first compression load, equal to or less than 40 MPa, to solid electrolyte material, to sinter the solid electrolyte material to obtain sintered material, which is then cooled by applying second compression load, less than first compression load, to the sintered material, resulting in a solid electrolyte.